



ecoFIT Bend 90° PE100 d50-500mm / SDR17

Model:

- Conventional butt-welding according to DVS 2207
- IR = Infrared-(IR Plus) compatible. Choose fusion parameters: PE100

d	DN	PN	SDR	FM	Code	Weight	Lmax	r	s1	z	Bm1
(mm)	(mm)	(bar)				(kg)	(mm)	(mm)	(mm)	(mm)	(mm)
50	40	10	17	IR	753 018 635	0.052	83.0	37.00	2.9	58	21
63	50	10	17	IR	753 018 636	0.087	97.5	45.00	3.6	66	21
75	65	10	17	IR	753 018 637	0.133	112.5	71.25	4.5	75	21
90	80	10	17	IR	753 018 638	0.226	135.0	85.50	5.4	90	22
110	100	10	17	IR	753 018 639	0.407	165.0	104.50	6.6	110	25
125	100	10	17	IR	753 018 505	0.679	207.5	126.00	7.4	145	34
140	125	10	17	IR	753 018 506	0.953	232.0	142.00	8.3	162	38
160	150	10	17	IR	753 018 507	1.387	263.0	162.00	9.5	183	40
180	150	10	17	IR	753 018 508	1.885	290.0	182.00	10.7	200	38
200	200	10	17	IR	753 018 509	2.542	320.0	202.00	11.9	220	40
225	200	10	17	IR	753 018 510	3.589	357.5	227.00	13.4	245	41
250	250	10	17	IR	753 018 511	5.045	405.0	252.00	14.8	280	51
280	250	10	17	IR	753 018 512	7.006	450.0	282.00	16.6	310	52
315	300	10	17	IR	753 018 513	10.013	507.5	318.00	18.7	350	61
355	350	10	17		753 018 524	12.580	522.5	330.00	21.1	345	70
400	400	10	17		753 018 525	16.680	565.0	350.00	23.7	365	70
450	450	10	17		753 018 526	24.760	650.0	400.00	26.7	425	70
500	500	10	17		753 018 527	33.640	720.0	445.00	29.7	470	90

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland Phone +41 -(0)52-631 1111 e-mail:
info.ps@georgfischer.com Internet: <http://www.gfps.com>